CD-230USB

Order no.: 0212990

PRODUCT INFORMATION

Dual DJ CD and MP3 player,
with USB 2.0 interface and SD/MMC card slot.

- USB flash drives can be connected directly
- For SD/MMC cards up to 32 GB (FAT16/FAT32), not included in the scope of delivery
- Anti-shock system
- Seamless loop
- Supports ID3 tags (track display)
- Safe operation due to illuminated rubber buttons
- Pitch control: ±4/±8/±16%
- Pitch bending
- Search for file/track
- Search function via jog dial
- Scratch function
- Repeat function (repeat 1, repeat all)
- 20 tracks can be programmed
- Smallest search step: 1 frame
- Switchable display of the running time of one track as well as the remaining running time of one or all tracks
- Bar graph display
- Quick start (automatic cue)
- 482 mm (19") rack installation
- Audio CD/CD-R/MP3 CD

Manufacturer information:
MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

Safety Notes and Warning Messages

The unit uses dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Inexpert handling may result in electric shock.

Do not operate the unit and disconnect the mains plug from the socket immediately if the unit or the mains cable is visibly damaged; if a defect might have occurred after the unit was dropped or suffered a similar accident, if malfunctions occur. In any case, the unit must be repaired by skilled personnel.

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).

Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.

If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

SPECIFICATIONS

CD-230USB	
Description	Dual DJ CD and MP3 player
Media	CD, MP3, USB, SD, MMC
Frequency range	20-20,000 Hz
THD	< 0.1%
Channel separation	> 80 dB
Dynamic range	> 90 dB
S/N ratio	> 80 dB
Output, analogue	2 V
Power supply	˜ 230 V/50 Hz/30 VA
Mains voltage	~ 230 V
Mains frequency	50 Hz
Power consumption, operation	30 VA
Admiss. ambient temp.	0-40 °C
Dimensions	482 x 90 x 270 mm, 2 RU (disk drive), 482 x 90 x 100 mm, 2 RU (control panel)
Dim., player mech.	482 x 90 x 270 mm, 2 RU
Dim., control panel	482 x 90 x 100 mm, 2 RU
Weight	5.9 kg
Connections	2 x RCA L/R,2 x cable, 13-pole mini DIN, length: 1 m (control connection)
Packaging dimensions (W x H x L)	0.45 x 0.16 x 0.51 m
Gross weight	6.96 kg

CD-230USB

EAN code	4007754243987
Net weight	5.9 kg