


# CDX1-1730/8

Order no.: 1001076

## PRODUCT INFORMATION

**PA horn driver, 40 W, 8 Ω**

- High-quality 25 mm (1") compression driver with 44 mm (1.75") voice coil and neodymium magnet
- One-piece PETP film cone and surround
- Sound castle cone arrangement
- Recommended crossover frequency: 2,200 Hz (12 dB/oct.)
- 25 mm sound outlet

**Manufacturer information:**
Celestion International Ltd
Claydon Business Park, Great Blakenham,
Ipswich
Suffolk IP6 0NL
United Kingdom
info@celestion.com

**Importer:**

MONACOR INTERNATIONAL GmbH & Co. KG

Konsul-Smidt-Str. 68
28217 Bremen
Deutschland
info@monacor.com

## SPECIFICATIONS

**CDX1-1730/8**

| | |
|---|---|
| Impedance (Z) | 8 Ω |
| Transmission technology | cable |
| Frequency range | 1,200-20,000 Hz |
| Rec. crossov. frequ. (fmax.) (12 dB/oct.) | 2,200 Hz |
| Power rating (RMS) | 40 W |
| Peak music power output (MAX) | 80 W |
| SPL | 110 dB/W/m |
| Voice coil diameter | Ø 44 mm |
| Voice coil material | flat copper-coated aluminium wire |
| Outlet | Ø 2 mm |
| Mounting cutout | dep. on horn |
| Mounting depth | dep. on horn |
| Mounting hole diameter | Ø 76 mm (4x M6) |
| Dimensions | Ø 88.5 mm x 55 mm |
| Outside diameter | Ø 88.5 mm |
| Width | Ø 88.5 mm |
| Height | Ø 88.5 mm |
| Depth | 55 mm |
| Colour | black |
| Admiss. ambient temp. | 0-40 °C |
| Weight | 0.64 kg |
| Packing unit | 1 |
| Type of speaker | 1" |
| Packaging dimensions (W x H x L) | 0.135 x 0.075 x 0.105 m |
| Gross weight | 0.778 kg |
| Net weight | 0.637 kg |

**CDX1-1730/8**

| | |
|---|---|
| EAN code | 0739894548540 |
| Net weight | 0.637 kg |