

EUL-2/SW

Order no.: 0174450

PRODUCT INFORMATION

This series of speaker systems including subwoofer from MONACOR sets standards in the modern PA technology:
high-quality lacquered cabinets of a perfect design, lightweight but robust and of high power capability, with an amazing sound and a high efficiency, the EUL-2... with professional 100 V technology. Real PA speaker systems for versatile applications at a very attractive price.

PA speaker system in 100 V transmission technology

- High-quality cabinet with durable PU coating
- 20 cm (2 x 8") double bass speaker of high power capability and dyn. 25 mm (1") horn tweeter
- Well-balanced and dynamic sound for speech and music applications
- SPEAKON connection, rotary switch for power selection, stand sleeve
- A subwoofer support is useful for bass reproductions of high requirements (e.g. with EUL-2SUB/SW)
- This speaker can be integrated into any existing or new 100 V system by simply connecting it in parallel, as long as the amplifier features the respective power reserves

Matching distance tube PAST-25/SW is available at option.

Manufacturer information:
MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

SPECIFICATIONS

EUL-2/SW	
Active/passive	passive
Transmission technology	100 V
Total power rating	50 W
Power rating (RMS)	50/37.5/25/12.5 W
Frequency range	70-19,000 Hz
System	2-way
Bass speaker	2 x 20 cm (8")
Tweeter	25 mm (1") horn
Number of speakers	3
Speaker size	20 cm (8")
SPL	95 dB/W/m
Radiation angle/beam angle	H: 80°/V: 60°
Radiation angle, horizontal	80°
Radiation angle, vertical	60°
Housing material	birch plywood/wood
Colour	black
Mounting device	stand sleeve
Admiss. ambient temp.	0-40 °C
Dimensions	320 x 485 x 250 mm
Width	320 mm
Height	485 mm
Depth	250 mm
Weight	8.7 kg
Inputs	1 x SPEAKON
Packaging dimensions (W x H x L)	0.28 x 0.54 x 0.35 m
Gross weight	10.14 kg
Net weight	8.96 kg

EUL-2/SW

EAN code	4007754242249
Net weight	8.96 kg