

SIEM-2/R5

Order no.: 0255540

PRODUCT INFORMATION

Mono UHF PLL in-ear monitoring receiver,
as an addition to in-ear monitoring system SIEM-2/5.

- Switchable limiter
- Separate adjustable mic/line input
- Phantom power supply: 4 V
- Low battery alert
- Belt clip
- Impact-proof plastic housing for severe conditions on stage

There are restrictions or requirements within the EU!

Please read the notes regarding wireless systems in the section “IMPORTANT INFORMATION”!

Manufacturer information:
JTS PROFESSIONAL CO., LTD.
No. 148, Gongye 9th Rd., Dali Dist.
41280 Taichung City
Taiwan

jts@jts.com.tw

EU-Representative:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

Safety Notes and Warning Messages

The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).
Remove the rechargeable batteries or batteries if the device is not in use for a longer period of time (e.g. more than a week). This avoids possible damage through leaking batteries.
If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.
Batteries and rechargeable batteries must not be disposed of with household waste. They must be disposed of in accordance with local regulations for hazardous waste.

SPECIFICATIONS

SIEM-2/R5

General information

Description	in-ear monitoring receiver
Carrier frequency range	518-542 MHz
Audio frequency range	40-18,000 Hz
Channels	1
Dynamic range	> 80 dB
Operating time	> 8 h
Admiss. ambient temp.	0-40 °C

Specifications receiver

Power supply receiver	2 x batt. AA size, alkaline (not supplied)
Width receiver	75 mm
Height receiver	160 mm
Depth receiver	32 mm
Weight receiver	83 g
Connections receiver	6.3 mm stereo jack

SIEM-2/R5

EAN code	4007754239447

SIEM-2/R5

Net weight	0.083 kg