

TF0615MR/8

Order no.: 1001090

PRODUCT INFORMATION

PA midrange speaker, 50 W, 8 Ω
The speakers of the TF series feature an excellent price-performance ratio and at the same time provide excellent sound characteristics. Thus, they are ideally suited for an application in high-performance PA speaker systems which provide a powerful sound.

- 15.2 cm (6") PA midrange speaker with a very wide radiation range
- High-quality Kevlar fibre-reinforced cellulose cone
- Very linear frequency response and wide bandwidth

Manufacturer information:
Celestion International Ltd
Claydon Business Park, Great Blakenham,
Ipswich
Suffolk IP6 0NL
United Kingdom
info@celestion.com

Importer:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Deutschland
info@monacor.com

SPECIFICATIONS

TF0615MR/8

Impedance (Z)	8 Ω
Transmission technology	cable
Frequency range	500-5,000 Hz
Resonant frequency (fs)	553 Hz
Power rating (RMS)	50 W
Peak music power output (MAX)	100 W
SPL	97 dB/W/m
DC resistance (Re)	5.53 Ω
Voice coil induct. (Le)	0.29 mH
Voice coil diameter	Ø 38 mm
Voice coil material	copper wire
Voice coil former	polyimide
Magnet weight	0.48 kg
Mounting cutout	Ø 147 mm
Mounting depth	74 mm
Mounting hole diameter	Ø 168.5 mm
Dimensions	Ø 178 mm x 74 mm
Outside diameter	Ø 178 mm
Width	Ø 178 mm
Height	Ø 178 mm
Depth	74 mm
Colour	black
Admiss. ambient temp.	0-40 °C
Weight	1.4 kg
Packing unit	1
Type of speaker	6"
Packaging dimensions (W x H x L)	0.19 x 0.1 x 0.195 m
Gross weight	1.6 kg
Net weight	1.4 kg

TF0615MR/8

EAN code	0739894530842
Net weight	1.4 kg